

TECHNICAL SPECIFICATION

Commissioning of VSC HVDC systems

IEC Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 63336:2024](#)

<https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International
Standards
Document Preview

[IEC TS 63336:2024](https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024)

<https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024>

TECHNICAL SPECIFICATION

Commissioning of VSC HVDC systems

Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 63336:2024](https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024)

<https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.200; 29.240.01

ISBN 978-2-8322-8923-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	9
3.1 Test classification terms	9
3.2 Other terms	10
4 Stages, sequence and objectives of commissioning of VSC HVDC systems	11
4.1 Process of commissioning of VSC HVDC systems	11
4.2 Pre-commissioning	12
4.2.1 Factory system tests of HVDC control and protection systems	12
4.2.2 On-site equipment tests	12
4.3 Commissioning	12
4.3.1 Subsystem tests	12
4.3.2 System tests	13
4.3.3 Operating states of VSC HVDC transmission	16
4.4 Trial operation	17
5 Subsystem tests	17
5.1 General	17
5.2 Power, control and communication cabling systems	17
5.2.1 Test purpose	17
5.2.2 Test preconditions	18
5.2.3 Test procedures	18
5.2.4 Test acceptance criteria	18
5.3 Main circuit equipment	18
5.3.1 Test purpose	18
5.3.2 Test preconditions	19
5.3.3 Test procedures	19
5.3.4 Test acceptance criteria	19
5.4 AC protections and interlocking	19
5.4.1 Test purpose	19
5.4.2 Test preconditions	19
5.4.3 Test procedures	19
5.4.4 Test acceptance criteria	20
5.5 Remote SCADA interface	20
5.5.1 Test purpose	20
5.5.2 Test preconditions	20
5.5.3 Test procedures	20
5.5.4 Test acceptance criteria	20
5.6 Auxiliary systems	21
5.6.1 Valve cooling system	21
5.6.2 Auxiliary power	21
5.6.3 Fire protection systems	22
5.6.4 Air handling and conditioning systems	23
5.6.5 HVDC transmission line monitoring systems	23
5.6.6 Earth electrode and earth electrode line monitoring system	24
5.7 Final trip tests	24
5.7.1 Test purpose	24

5.7.2	Test preconditions	25
5.7.3	Test procedures.....	25
5.7.4	Test acceptance criteria.....	25
6	High voltage energisation	25
6.1	General.....	25
6.2	AC switchyard energisation.....	25
6.2.1	Test purpose	25
6.2.2	Test preconditions	26
6.2.3	Test procedures.....	26
6.2.4	Test acceptance criteria.....	26
6.3	AC filter energisation (if applicable)	26
6.3.1	Test purpose	26
6.3.2	Test preconditions	26
6.3.3	Test procedures.....	26
6.3.4	Test acceptance criteria.....	27
6.4	Interface transformer energisation	27
6.4.1	Test purpose	27
6.4.2	Test preconditions	27
6.4.3	Test procedures.....	27
6.4.4	Test acceptance criteria.....	28
6.5	Blocked converter energisation	28
6.5.1	Test purpose	28
6.5.2	Test preconditions	28
6.5.3	Test procedures.....	28
6.5.4	Test acceptance criteria.....	28
6.6	Energisation from DC side (if applicable)	29
6.6.1	Test purpose	29
6.6.2	Test preconditions	29
6.6.3	Test procedures.....	29
6.6.4	Test acceptance criteria.....	29
7	Converter station tests.....	30
7.1	General.....	30
7.2	First deblock	30
7.2.1	Test purpose	30
7.2.2	Test preconditions	30
7.2.3	Test procedures.....	30
7.2.4	Test acceptance criteria.....	31
7.3	Protective actions	31
7.3.1	Test purpose	31
7.3.2	Test preconditions	31
7.3.3	Test procedures.....	32
7.3.4	Test acceptance criteria.....	32
7.4	Reactive power control	32
7.4.1	Test purpose	32
7.4.2	Test preconditions	32
7.4.3	Test procedures.....	32
7.4.4	Test acceptance criteria.....	33
7.5	Change of RPC control modes	33
7.5.1	Test purpose	33

7.5.2	Test preconditions	33
7.5.3	Test procedures.....	33
7.5.4	Test acceptance criteria.....	34
7.6	Step responses	34
7.6.1	Test purpose	34
7.6.2	Test preconditions	34
7.6.3	Test procedures.....	34
7.6.4	Test acceptance criteria.....	35
8	Transmission tests.....	35
8.1	General.....	35
8.2	Energisation of HVDC transmission line	36
8.2.1	Test purpose	36
8.2.2	Test preconditions	36
8.2.3	Test procedures.....	36
8.2.4	Test acceptance criteria.....	36
8.3	First power transmission	36
8.3.1	Test purpose	36
8.3.2	Test preconditions	37
8.3.3	Test procedures.....	37
8.3.4	Test acceptance criteria.....	37
8.4	Protective actions	37
8.4.1	Test purpose	37
8.4.2	Test preconditions	37
8.4.3	Test procedures.....	38
8.4.4	Test acceptance criteria.....	38
8.5	Active power control	38
8.5.1	Test purpose	38
8.5.2	Test preconditions	38
8.5.3	Test procedures.....	38
8.5.4	Test acceptance criteria.....	39
8.6	Reactive power control	39
8.6.1	Test purpose	39
8.6.2	Test preconditions	39
8.6.3	Test procedures.....	39
8.6.4	Test acceptance criteria.....	39
8.7	Power reversal.....	40
8.7.1	Test purpose	40
8.7.2	Test preconditions	40
8.7.3	Test procedures.....	40
8.7.4	Test acceptance criteria.....	40
8.8	Step responses	40
8.8.1	Test purpose	40
8.8.2	Test preconditions	41
8.8.3	Test procedures.....	41
8.8.4	Test acceptance criteria.....	41
8.9	High power transmission	41
8.9.1	Test purpose	41
8.9.2	Test preconditions	42
8.9.3	Test procedures.....	42

8.9.4	Test acceptance criteria.....	42
8.10	Changes of DC configuration in bipole scheme	42
8.10.1	Test purpose	42
8.10.2	Test preconditions	43
8.10.3	Test procedures.....	43
8.10.4	Test acceptance criteria.....	43
8.11	Heat run test (including overload)	43
8.11.1	Test purpose	43
8.11.2	Test preconditions	44
8.11.3	Test procedures.....	44
8.11.4	Test acceptance criteria.....	45
8.12	Control system changeovers	45
8.12.1	Test purpose	45
8.12.2	Test preconditions	45
8.12.3	Test procedures.....	46
8.12.4	Test acceptance criteria.....	46
8.13	Change of control location	46
8.13.1	Test purpose	46
8.13.2	Test preconditions	46
8.13.3	Test procedures.....	47
8.13.4	Test acceptance criteria.....	47
8.14	Loss of auxiliary power supplies.....	48
8.14.1	Test purpose	48
8.14.2	Test preconditions	48
8.14.3	Test procedures.....	48
8.14.4	Test acceptance criteria.....	49
8.15	Loss of telecommunication.....	49
8.15.1	Test purpose	49
8.15.2	Test preconditions	49
8.15.3	Test procedures.....	49
8.15.4	Test acceptance criteria.....	49
8.16	Black start (if applicable).....	50
8.16.1	Test purpose	50
8.16.2	Test preconditions	50
8.16.3	Test procedures.....	50
8.16.4	Test acceptance criteria.....	51
9	Power quality and interference tests	51
9.1	General.....	51
9.2	AC and DC harmonic measurements.....	51
9.2.1	Test purpose	51
9.2.2	Test preconditions	51
9.2.3	Test procedures.....	52
9.2.4	Test acceptance criteria.....	52
9.3	Audible noise	53
9.3.1	Test purpose	53
9.3.2	Test preconditions	53
9.3.3	Test procedures.....	53
9.3.4	Test acceptance criteria.....	54
9.4	High frequency interference measurements	54

9.4.1	Test purpose	54
9.4.2	Test preconditions	54
9.4.3	Test procedures.....	54
9.4.4	Test acceptance criteria.....	55
10	AC/DC network interaction tests	55
10.1	Test purpose.....	55
10.2	Preconditions	55
10.3	Transmission network switching and staged faults	55
10.4	Special protection schemes	56
10.5	Test of AC network and control interactions	56
10.6	Interactions with other HVDC systems or FACTS devices	56
11	Commissioning plan and documentation of on-site tests	57
11.1	General.....	57
11.2	Commissioning planning	57
11.3	Site test outline	57
11.4	Test plan.....	58
11.5	Test schedule	58
11.6	Test procedures	59
11.7	Test records.....	59
11.8	Final report	60
	Bibliography.....	61
	Figure 1 – Overview diagram of commissioning process of VSC HVDC systems	11
	Figure 2 – VSC HVDC systems and designations.....	12
	Figure 3 – Scope of system tests	14
	Table 1 – Structure of system tests	15
	Table 2 – Subsystem tests of main circuit equipment	18
	Table 3 – Control location combinations.....	47

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSIONING OF VSC HVDC SYSTEMS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 63336 has been prepared by WG 13: Commissioning of VSC HVDC systems, of IEC technical committee 115: High voltage direct current (HVDC) transmission for DC voltages above 100 kV. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
115/360/DTS	115/367/RVDTs

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[IEC TS 63336:2024](#)

<https://standards.iteh.ai/catalog/standards/iec/744f5dd9-7a5b-4141-b8f3-8d708e81f3dc/iec-ts-63336-2024>

COMMISSIONING OF VSC HVDC SYSTEMS

1 Scope

This document, which is a technical specification, applies to the commissioning of voltage-sourced converter (VSC) high voltage direct current (HVDC) systems which consist of two converter stations and the connecting HVDC transmission line.

The tests are generally applied to all HVDC configurations and could require addition or deletion to match the given solution.

This document provides guidance on the planning of commissioning activities. The commissioning described in this document is implemented through on-site testing on the whole system functionality, including testing on the subsystem and system. This document provides the scope, procedures and acceptance criteria of the tests.

Factory system tests, on-site equipment tests, electrode tests, and trial operation are not included in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60633:2019, *High-voltage direct current (HVDC) transmission – Vocabulary*

IEC 62747:2014, *Terminology for voltage-sourced converters (VSC) for high-voltage direct current (HVDC) systems*

IEC 62747:2014/AMD1:2019

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62747 and IEC 60633 as well as the following apply.

3.1 Test classification terms

3.1.1

factory system tests

FST

tests which are performed in a factory of HVDC control and protection equipment to verify the main functions and performances as well as the interface with VSC valve, optical measuring devices, etc.

Note 1 to entry: It is also referred to as a functional/dynamic performance test (FPT/DPT).

3.1.2

on-site equipment tests

electrical and mechanical tests which are performed on-site on a single equipment to verify that no equipment damage has occurred during transport and site assembly, and that installation has been correctly performed

3.1.3

subsystem tests

tests which are performed on-site to prove the correct interconnection and functioning of all individual items of equipment within a functional group (or subsystem) and that these items operate and interact correctly

3.1.4

system tests

tests verifying functions and performances of HVDC system as a whole as well as the interaction with adjacent AC systems on-site

3.1.5

converter station tests

tests verifying functions and performances of the converter unit disconnected from the HVDC transmission line on-site

Note 1 to entry: These are also referred to as STATCOM mode tests.

3.1.6

transmission tests

tests verifying functions and performances of HVDC system when transmitting power between both converter stations on-site

Note 1 to entry: These are also referred to as end-to-end tests.

3.1.7

point of common coupling

PCC

point of interconnection of the HVDC converter station to the adjacent AC system

[SOURCE: IEC 62747:2014, 9.25]

3.2 Other terms

3.2.1

PQ characteristic

capability of active and reactive power of a VSC HVDC converter unit, which is normally a closed and irregular region with active and reactive power in a two-axis graphical representation

3.2.2

Qac control

reactive power control mode of VSC converter to control the exchange of reactive power to a specified value

3.2.3

Uac control

reactive power control mode of VSC converter to control the AC bus voltage to a specified value

3.2.4

dynamic performance study

DPS

off-line investigation of the dynamic behaviour of various fault scenarios within the specified boundaries of AC system

Note 1 to entry: The result of the DPS should be the optimum set of control and protection parameters to achieve the best overall dynamic behaviour for the specific HVDC.

3.3 human machine interface HMI

interface for a human operator to operate, monitor and maintain an HVDC locally at site or from the remote

Note 1 to entry: An HMI typically consists of a monitor, a keyboard and a mouse.

4 Stages, sequence and objectives of commissioning of VSC HVDC systems

4.1 Process of commissioning of VSC HVDC systems

During the commissioning and testing of an HVDC project, the HVDC equipment is verified in groups and in conjunction with the control and protection systems. Usually, this process can be divided into four major parts: factory tests, on-site equipment tests, subsystem tests and system tests as shown in Figure 1.




Figure 1 – Overview diagram of commissioning process of VSC HVDC systems

The structure and sequence of the VSC commissioning process require an understanding of the overall VSC HVDC system structure and a definition of various components within this structure. Figure 2 shows an example of two parallel VSC HVDC systems along with graphical designations used in this document.




Figure 2 – VSC HVDC systems and designations

4.2 Pre-commissioning

4.2.1 Factory system tests of HVDC control and protection systems

Factory system tests cover the verification of internal connections within and in between the control cabinets and the functional verification of the software and are performed in the factory prior to the control and protection equipment being sent to site.

During the factory system tests, the complete control and protection systems are tested. External stand-alone equipment, such as external protection relays, are typically excluded. Where other external interfaces are present, the tests should be performed as completely as possible, to determine with as much confidence as is practical that the control and protection systems will operate correctly in terms of the expected input and output signals. Such external interfaces include auxiliary power systems, converter cooling systems, fire protection systems, etc.

Finding and correcting hardware and software errors in the control and protection systems is an important function of factory system tests. Such faults are easier to find and rectify in the factory than during on-site commissioning. Correcting such faults reduces the probability of disturbing the power system during the commissioning tests.

4.2.2 On-site equipment tests

On-site equipment tests are electrical and mechanical tests on a single installed item of equipment or plant. The primary purpose of these tests is to ensure, to the extent possible, that no equipment damage has occurred during transport and site assembly, and that the installation has been correctly performed.

The equipment supplier may in some cases specify particular checks and inspections that can help verify the equipment integrity.

4.3 Commissioning

4.3.1 Subsystem tests

A subsystem includes groups of main circuit equipment, associated measurement systems, control and protection systems, and/or auxiliary systems.