

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial networks – Single-drop digital communication interface –
Part 3: Wireless extensions**

**Réseaux industriels – Interface de communication numérique point à point –
Partie 3: Extensions sans fil**

IEC 61139-3:2023

<https://standards.iteh.ai/catalog/standards/sist/56a4848f-c8e7-42ff-a7c1-a1621c69535e/iec-61139-3-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service

Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial networks – Single-drop digital communication interface –
Part 3: Wireless extensions**

**Réseaux industriels – Interface de communication numérique point à point –
Partie 3: Extensions sans fil**

IEC 61139-3:2023

<https://standards.iteh.ai/catalog/standards/sist/56a4848f-c8e7-42ff-a7c1-a1621c69535e/iec-61139-3-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 35.200

ISBN 978-2-8322-7751-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	20
INTRODUCTION.....	22
1 Scope.....	23
2 Normative references	23
3 Terms and definitions, abbreviated terms and conventions	24
3.1 Terms and definitions.....	24
3.2 Abbreviated terms.....	30
3.3 Conventions.....	32
3.3.1 General	32
3.3.2 Service primitives	32
3.3.3 Service parameters.....	33
3.3.4 Service procedures.....	33
3.3.5 Service attributes.....	34
3.3.6 Figures	34
3.3.7 Transmission octet order	35
3.3.8 Behavioral descriptions.....	35
3.3.9 Triple table format	36
4 Overview of wireless digital communication interface.....	36
4.1 Purpose and topology	36
4.2 Positioning in the automation hierarchy.....	36
4.2.1 General	36
4.2.2 Relationship to IEC 61131-9	37
4.2.3 Role of a W-Master.....	38
4.2.4 Role of a W-Device.....	39
4.2.5 Role of a W-Bridge	39
4.2.6 System configuration tool	39
4.2.7 Mapping to fieldbuses	39
4.3 Cell concept.....	39
4.4 Wireless Mechanisms	41
4.4.1 General	41
4.4.2 Scan (W-Device Discovery)	41
4.4.3 Pairing.....	41
4.4.4 Unpairing.....	42
4.4.5 Roaming	42
4.4.6 Automatic Pairing	43
4.4.7 Transmission Error Handling.....	44
4.4.8 "I am alive" supervision (IMA)	44
4.4.9 Wireless Quality supervision.....	44
4.5 Concept of air interface.....	44
4.5.1 General	44
4.5.2 Frequency division multiple access (FDMA).....	45
4.5.3 Time Division Multiple Access (TDMA).....	45
4.5.4 SSLOTS, DSLOTS, transmission capacity	47
4.5.5 Assignment of W-Devices to W-Tracks and slots	47
4.5.6 Assignment of W-Ports to W-Devices.....	48
4.5.7 W-Cycle.....	48

4.5.8	W-Frame	49
4.6	Characteristics of the SDCI-W technology	49
4.7	Layer model	50
4.8	Conformity assessment	50
5	Physical Layer (PL)	51
5.1	General	51
5.2	Base technology, Physical Layer (PL)	51
5.2.1	General	51
5.2.2	Transmission rate	51
5.2.3	Carrier frequency accuracy	51
5.2.4	W-Device Carrier frequency calibration	51
5.2.5	W-Master Carrier frequency calibration	51
5.2.6	Modulation	51
5.2.7	Transmission power	52
5.2.8	Antenna	52
5.2.9	SDCI wireless receiver sensitivity	52
5.2.10	Transceiver timings	52
5.3	Downlink and uplink	55
5.3.1	Transmission octet order for WORD based data types	55
5.3.2	Downlink and uplink transmission	56
5.3.3	Preamble	56
5.3.4	Syncword	57
5.3.5	Downlink and uplink CRC	58
5.3.6	CRC Transmission	58
5.3.7	Data Whitening	59
5.3.8	Regular downlink packet	60
5.3.9	Configuration downlink packet	61
5.3.10	Uplink Single Slot	61
5.3.11	Uplink Double Slot	62
5.4	W-Sub-cycle	62
5.4.1	General	62
5.4.2	W-Sub-cycle structure	62
5.4.3	Regular W-Frame	63
5.4.4	Configuration W-Frame	64
5.5	Medium Access Control (MAC)	64
5.5.1	General	64
5.5.2	Frequency channels	65
5.5.3	Alternative Hopping algorithms	66
5.5.4	Configuration Frequencies	66
5.5.5	Blocklisting	66
5.5.6	Wireless Quality	66
5.6	Physical Layer (PL) services	68
5.6.1	Overview	68
5.6.2	PL Services for W-Master	68
5.6.3	PL Services for W-Device	82
5.7	Physical Layer PL protocol	89
5.7.1	Usage of the Configuration Channel	89
5.7.2	PL W-Master state machine	94
5.7.3	PL W-Device state machine	106

6	Data Link Layer DL-A	111
6.1	General.....	111
6.2	General W-Master.....	112
6.2.1	General	112
6.2.2	W-Track and W-Device-Mapper (TDMapper).....	112
6.3	General (W-Device)	112
6.4	DL-A services	113
6.4.1	Overview	113
6.4.2	MCmd (W-Master and W-Device).....	113
6.4.3	ISDUMsg (W-Master and W-Device)	114
6.4.4	DownLinkAck (W-Master)	116
6.4.5	UpLinkAck (W-Device).....	118
6.4.6	EventMsg (W-Master and W-Device)	118
6.4.7	PDOutMsg (W-Master and W-Device).....	119
6.4.8	PDInMsg (W-Master and W-Device).....	121
6.5	Acknowledgments (DownLinkAck and UpLinkAck)	122
6.6	Message handler	122
6.6.1	General	122
6.6.2	State machine of the W-Master Message handler (DL-A).....	123
6.6.3	Compilation of DLink control octet	126
6.6.4	State machine of the W-Device Message handler (DL-A).....	127
6.6.5	Compilation of ULink control octet	131
7	Data Link Layer DL-B	132
7.1	DL-B services	132
7.1.1	Overview of services within W-Master and W-Device	132
7.1.2	DL_PDCycle (W-Master and W-Device)	132
7.1.3	DL_PDInputTransport (W-Master).....	132
7.1.4	DL_Control (W-Master and W-Device)	133
7.1.5	DL_PDOutputUpdate (W-Master).....	133
7.1.6	DL_PDOutputTransport (W-Device)	134
7.1.7	DL_PDInputUpdate (W-Device)	135
7.1.8	DL_Event (W-Master and W-Device).....	135
7.1.9	DL_ISDUTransport (W-Master and W-Device)	136
7.1.10	DL_ISDUAbort (W-Master and W-Device).....	137
7.1.11	DL_TDConfig (W-Master)	137
7.1.12	DL_Read (W-Master and W-Device)	138
7.1.13	DL_Write (W-Master and W-Device)	140
7.1.14	DL_SetMode (W-Master)	141
7.1.15	DL_Mode (W-Master and W-Device).....	142
7.1.16	DL_MaxRetry (W-Device)	142
7.1.17	DL_SetParam (W-Master and W-Device)	142
7.2	DL-mode handler	143
7.2.1	General	143
7.2.2	State machine of the W-Master DL-mode handler	144
7.2.3	State machine of the W-Device DL-mode handler	146
7.3	Process Data handler.....	147
7.3.1	General	147
7.3.2	State machine of the W-Master Process Data Out handler.....	147

7.3.3	State machine of the W-Master Process Data In handler	151
7.3.4	State machine of the W-Device Process Data Out handler	153
7.3.5	State machine of the W-Device Process Data In handler	155
7.4	Indexed Service Data Unit (ISDU) handler	157
7.4.1	General	157
7.4.2	State machine of the W-Master ISDU handler	157
7.4.3	State machine of the W-Device ISDU handler	160
7.4.4	General structure and encoding of ISDUs	162
7.5	Command handler	163
7.5.1	General	163
7.5.2	State machine of the W-Master command handler	163
7.5.3	State machine of the W-Device command handler	166
7.6	Event handler	167
7.6.1	General	167
7.6.2	State machine of the W-Master Event handler	167
7.6.3	State machine of the W-Device Event handler	170
7.7	Transmission of segmented data and retry handling	171
7.7.1	General	171
7.7.2	Transmission of segmented data	172
7.7.3	Retry-Handling	173
8	Application Layer (AL)	174
8.1	General	174
8.2	Application Layer services	174
8.2.1	General	174
8.2.2	AL_Read (W-Master and W-Device)	174
8.2.3	AL_Write (W-Master and W-Device)	176
8.2.4	AL_Abort (W-Master and W-Device)	177
8.2.5	AL_NewInput (W-Master)	177
8.2.6	AL_GetInput (W-Master)	178
8.2.7	AL_SetInput (W-Device)	179
8.2.8	AL_PDCycle (W-Master and W-Device)	179
8.2.9	AL_GetOutput (W-Device)	180
8.2.10	AL_NewOutput (W-Device)	180
8.2.11	AL_SetOutput (W-Master)	181
8.2.12	AL_Event (W-Master and W-Device)	181
8.2.13	AL_Control (W-Master and W-Device)	183
8.3	Application layer protocol	183
8.3.1	Overview	183
8.3.2	ISDU processing	183
8.3.3	Event processing	189
8.3.4	Process Data transfer	191
9	System management	195
9.1	General	195
9.2	Modes	195
9.2.1	Service Mode	195
9.2.2	Cyclic Mode	196
9.3	System management of the W-Master	197
9.3.1	Overview	197

9.3.2	System management W-Master services	198
9.3.3	SM W-Master protocol	211
9.4	System management of the W-Device	223
9.4.1	Overview	223
9.4.2	System management W-Device services	224
9.4.3	SM W-Device protocol	231
10	W-Device	238
10.1	Overview	238
10.2	Process Data Exchange (PDE)	239
10.3	IMA handling	240
10.4	Parameter Manager (PM)	240
10.4.1	General	240
10.4.2	Parameter manager state machine	241
10.4.3	Dynamic parameter	241
10.4.4	Single parameter	241
10.4.5	Block parameter	241
10.4.6	Concurrent parameterization access	241
10.4.7	Command handling	241
10.5	Data Storage (DS)	241
10.6	Event Dispatcher (ED)	241
10.7	W-Device features	242
10.7.1	General	242
10.7.2	Scan	242
10.7.3	Pairing by UniqueID	242
10.7.4	Pairing by Button / Re-Pairing	242
10.7.5	Roaming	242
10.7.6	Unpairing	242
10.7.7	W-Device backward compatibility	243
10.7.8	Protocol revision compatibility	243
10.7.9	Device human machine interface (HMI)	243
10.7.10	Parameter access locking	243
10.7.11	Data Storage locking	243
10.7.12	W-Device parameter locking	243
10.7.13	W-Device user interface locking	243
10.7.14	Data Storage concept	244
10.7.15	Block Parameter	244
10.8	W-Device reset options	244
10.9	W-Device design rules and constraints	244
10.9.1	General	244
10.9.2	Process Data	244
10.9.3	MaxRetry error detection	244
10.9.4	Communication loss	245
10.9.5	Direct Parameter Page	245
10.9.6	ISDU communication channel	245
10.9.7	DeviceID rules related to W-Device variants	245
10.9.8	Protocol constants	245
10.10	I/O W-Device description (IODD)	246
10.10.1	General	246
10.10.2	Profile Characteristics	247

10.10.3	CommNetwork Profile Instance for the IODD	247
10.11	W-Device diagnosis	249
10.11.1	Concepts	249
10.11.2	Events	249
10.11.3	W-Device HMI	250
10.12	W-Device connectivity	251
11	W-Master	251
11.1	Overview	251
11.2	Services of the Standardized Master Interface (SMI)	254
11.2.1	Overview	254
11.2.2	SMI_WMasterConfiguration	255
11.2.3	SMI_ReadbackWMasterConfiguration	256
11.2.4	SMI_WTrackStatus	258
11.2.5	SMI_WScan	260
11.2.6	SMI_WPortPairing	262
11.2.7	SMI_WScanStatus	264
11.2.8	SMI_WQualityStatus	266
11.3	Configuration Manager (CM)	268
11.3.1	General	268
11.3.2	Coordination of Master applications	268
11.3.3	State machines of the Configuration Manager	269
11.4	Data Storage (DS)	275
11.5	On-request Data Exchange (ODE)	276
11.6	Diagnosis Unit (DU)	276
11.7	Process Data Exchange (PDE)	276
11.7.1	General	276
11.7.2	Process Data input mapping	276
11.7.3	Process Data output mapping	276
11.7.4	Process Data invalid/valid qualifier status	276
11.8	Port and Device Configuration Tool (PDCT)	277
11.8.1	General	277
11.8.2	Basic layout examples	277
11.9	Gateway application	279
11.9.1	General	279
11.9.2	Changing W-Device configuration including Data Storage	279
11.9.3	Parameter server and recipe control	279
11.9.4	Interoperability to 5G Systems	280
11.10	Human machine Interface (HMI), Faulty W-Device replacement	280
12	W-Bridge	280
12.1	Overview	280
12.2	Process Data Exchange (PDE)	281
12.2.1	General	281
12.2.2	Process Data mapping	281
12.3	On-request Data Exchange (ODE)	281
12.3.1	General	281
12.3.2	Wireless Parameters	281
12.3.3	Parameters of connected SDCI Device	281
12.4	Data Storage	282
12.5	Diagnosis Unit (DU)	282

12.5.1	General	282
12.5.2	Device Events (Wireless).....	282
12.5.3	Device Events	282
12.5.4	Port Events.....	282
12.6	Design Rules	283
12.6.1	General	283
12.6.2	Timing constraints	283
12.6.3	Static behaviour.....	283
12.6.4	Dynamic behavior	285
12.6.5	UniqueID	292
12.7	I/O W-Device description (W-IODD)	292
Annex A (normative)	W-Messages Codings	294
A.1	Overview.....	294
A.2	Definition of a W-Message	294
A.3	Downlink W-Messages: control octets	294
A.3.1	DLink control octet.....	294
A.3.2	DLink control octets contains MasterCommand.....	296
A.4	Uplink W-Messages	297
A.4.1	General	297
A.4.2	ULink control octet.....	297
A.5	Example for combination of several W-Messages within a DLink / PreDLink	297
A.6	Example for DLink data transmission within cyclic process data and segmentation	298
A.7	Examples for uplink data transmissions	300
A.7.1	General	300
A.7.2	DSlot W-Device sends 8 octets not segmented Process Data In to W-Master.....	300
A.7.3	DSlot W-Device sends 32 octets segmented Process Data In to W-Master.....	300
A.7.4	SSlot W-Device responds with 3 octets segmented ISDU Data to W-Master.....	300
A.7.5	DSlot W-Device sends 4 octets Process Data In every 5 ms and responds with 25 octets segmented ISDU Data to W-Master.....	301
A.8	User data (PD or OD).....	302
A.9	PDVALID PDINVALID	302
A.10	General structure and encoding of ISDUs	302
A.11	General structure and encoding of Events.....	303
A.11.1	EventQualifier.....	303
A.11.2	EventCode.....	304
Annex B (normative)	W-Frame Codings, CRC calculation and errors	305
B.1	Description of ConnectionParameter.....	305
B.2	Downlink packet encodings for Normal Operation	305
B.3	Downlink packet encodings for Configuration Operation.....	306
B.3.1	General	306
B.3.2	Scan Request downlink packet	307
B.3.3	Pairing Request downlink packet	308
B.3.4	Pairing Negotiation downlink packet	309
B.4	Uplink packet encodings for Normal Operations	310
B.4.1	Regular Single Slot uplink packet	310
B.4.2	Regular Double Slot uplink packet	311

B.4.3	IMA uplink packet	311
B.5	Uplink packet encodings for Configuration Operations	312
B.5.1	General	312
B.5.2	Scan Response uplink packet	313
B.5.3	Pairing Response uplink packet	313
B.5.4	Negotiation Response uplink packet	314
B.6	Acknowledge generation	314
B.7	CRC16 and CRC32 calculation	314
B.8	Errors	315
B.8.1	General	315
B.8.2	Checksum errors	315
B.8.3	IMA timeout errors	315
B.8.4	False positive Error	315
Annex C	(normative) W-Device Parameter and commands	316
C.1	Overview	316
C.2	Direct Parameter Page 1	317
C.2.1	General	317
C.2.2	MasterCommand	319
C.2.3	Revision ID	319
C.2.4	ProcessDataIn	319
C.2.5	ProcessDataOut	319
C.2.6	VendorID	320
C.2.7	DeviceID	320
C.2.8	FunctionID	320
C.2.9	SystemCommand	320
C.3	Direct Parameter Page 2	320
C.4	SDCI wireless specific parameters	320
C.4.1	Overview	320
C.4.2	SystemCommand	322
C.4.3	WDeviceMode	323
C.4.4	Wireless System	323
C.4.5	WRadioInfo	325
C.4.6	ISDU Mapping for system management	326
C.4.7	SerialNumber	326
C.4.8	Wireless Quality	326
C.4.9	W-Bridge Information	327
C.4.10	AdaptiveHopTable	328
C.4.11	Blocked ISDU indexes for low energy W-Device	328
C.4.12	WCycleTime	328
Annex D	(normative) EventCodes	330
D.1	General	330
D.2	EventCodes for W-Devices	330
D.3	EventCodes for W-Ports	330
Annex E	(normative) Coding of ArgBlocks	331
E.1	Overview Arg Blocks	331
E.1.1	General	331
E.1.2	WPortConfigList	332
E.1.3	WPortStatusList	333
E.1.4	WPortStatusList WMasterConfigList	333

E.1.5	WTrackStatusList	334
E.1.6	WPortPairing	335
E.1.7	WScanConfigList	335
E.1.8	WScanStatusList	335
E.1.9	WQualityStatusList	336
Annex F (normative)	Data Types	337
Annex G (normative)	Device design rules for low energy W-Devices	338
G.1	Low energy W-Devices	338
G.1.1	General	338
G.1.2	Low voltage design	338
G.1.3	Event triggered activation	338
G.1.4	Long IMATime	338
G.1.5	Pre-Downlink	338
G.1.6	W-Master not reachable	338
G.1.7	Quick Synchronization	338
G.1.8	Establish communication	338
G.1.9	HMI sleep	339
G.2	Battery lifetime calculation	339
Annex H (normative)	Frequency Hopping Calculation	341
H.1	Blocklisting	341
H.2	Creation of frequency hopping table HT01 with blocklisting	342
H.2.1	General	342
H.2.2	Example with 2 WLAN Channels	343
H.2.3	Example with one WLAN channel	346
H.3	Modified Sequence for ServiceMode	349
H.4	Adaptive Hopping Table	350
Annex I (normative)	How to get a certified product	353
I.1	General	353
I.2	Radio Certification	353
I.3	IO-Link Certification	353
Annex J (normative)	Regulatory Compliance	354
J.1	General	354
J.2	Compliance with FCC 15.247	354
J.3	Compliance with ETSI EN 300 328	354
J.4	Compliance with ETSI EN 300 440	355
Annex K (informative)	Radio field planning	356
K.1	General	356
K.2	Range and reliability examination	356
K.2.1	General	356
K.2.2	Rayleigh -> Non-Line of Sight:	358
K.2.3	Conclusion (EXAMPLE CHIP 2):	360
Annex L (informative)	Coexistence management	361
L.1	Coexistence management	361
L.2	Wireless System Type	361
L.3	Wireless Device Type	361
Bibliography		363

Figure 2 – Example of initiator / receiver of services (W-Device).....	34
Figure 3 – Example of service between W-Master and W-Device in generalized and detailed view.....	35
Figure 4 – Example of confirmed / non-confirmed services (W-Device)	35
Figure 5 – SDCI wired and wireless topology	36
Figure 6 – SDCI wireless system	37
Figure 7 – Object transfer at the Application Layer (AL) level.....	38
Figure 8 – Radius of a cell with a 1 W-Track W-Master	40
Figure 9 – Cell consisting of 2 W-Master cells.....	40
Figure 10 – Cell concept	41
Figure 11 – Roaming between W-Master cells	43
Figure 12 – Downlink	46
Figure 13 – Uplink.....	46
Figure 14 – Transmission capacity with SSLOTS and DSLOTS.....	47
Figure 15 – Uplink assignments	47
Figure 16 – TDMA and FDMA in the W-Cycle.....	48
Figure 17 – W-Frame and W-Sub-cycle.....	49
Figure 18 – Logical structure of W-Master and W-Device	50
Figure 19 – Base technology and modulation	52
Figure 20 – Transceiver timings	53
Figure 21 – Memory Storage and transmission order for values for WORD based data types.....	56
Figure 22 – Bit ordering within an octet.....	56
Figure 23 – Octet array transmission over the air.....	56
Figure 24 – Octet ordering of CRC16 result values	58
Figure 25 – Octet ordering of CRC32 result values	58
Figure 26 – Data Whitening LFSR.....	59
Figure 27 – Regular downlink packet	61
Figure 28 – Configuration downlink packet.....	61
Figure 29 – Uplink packet + Guard (SSlot)	61
Figure 30 – Uplink packet + Guard (DSlot).....	62
Figure 31 – Format of a W-Sub-cycle with DSLOTS	63
Figure 32 – SSLOTS and DSLOTS	63
Figure 33 – W-Frame structure	64
Figure 34 – W-Frame type for pairing and configuration	64
Figure 35 – LQI versus PERSubCycle for different MaxRetry	67
Figure 36 – Usage of the Configuration Channels	90
Figure 37 – Configuration sequence for Scan.....	91
Figure 38 – Configuration sequence for pairing by UniqueID	92
Figure 39 – Configuration sequence for pairing by Button	93
Figure 40 – Message Sequence Chart for Roaming	94
Figure 41 – PL W-Master state machine	95
Figure 42 – Submachine of CyclicMode_2 or RoamingMode_3 of W-Master Physical Layer	95

Figure 43 – Submachine of Handle_Sub_Cycle_4 of W-Master Physical Layer	96
Figure 44 – Submachine for Mode_Scan_12	97
Figure 45 – Submachine for Mode_Pairing_15	98
Figure 46 – PL W-Device state machine	107
Figure 47 – W-Track and W-Device-Mapper (TDMapper)	112
Figure 48 – State machine of the W-Master Message handler	123
Figure 49 – State machine of the W-Device Message handler	128
Figure 50 – W-Device Message handler sub state machine "CreateMessage_8" (DL-A).....	129
Figure 51 – State machine of the W-Master DL-mode handler	144
Figure 52 – State machine of the W-Device DL-mode handler	146
Figure 53 – State machine for W-Master PDOOut handler	148
Figure 54 – Sequence diagram for PDOOut distribution	151
Figure 55 – State machine for W-Master PDIn handler	152
Figure 56 – State machine of the W-Device Process Data Out handler	154
Figure 57 – State machine of the W-Device Process Data In handler	156
Figure 58 – State machine of the W-Master ISDU handler	158
Figure 59 – State machine of the W-Device ISDU handler	161
Figure 60 – State machine of the W-Master command handler	164
Figure 61 – State machine of the W-Device Command handler	166
Figure 62 – State machine of the W-Master Event handler	168
Figure 63 – Sequence diagram: Single event scheduling	170
Figure 64 – State machine of the W-Device Event handler	170
Figure 65 – ISDU state machine of the W-Master AL	184
Figure 66 – ISDU state machine of the W-Device AL	185
Figure 67 – Sequence diagram: ISDU Read Data	186
Figure 68 – Sequence diagram: ISDU read Data in case of timeout	187
Figure 69 – Sequence diagram: ISDU read Data in case of error	188
Figure 70 – Sequence diagram for low energy W-Devices: ISDU Data	189
Figure 71 – Event state machine of the W-Master AL	189
Figure 72 – Event state machine of the W-Device AL	190
Figure 73 – Sequence diagram: Single Event scheduling	191
Figure 74 – PD state machine of the W-Master AL	192
Figure 75 – PD state machine of the W-Device-AL	193
Figure 76 – Sequence diagram for output Process Data	194
Figure 77 – Sequence diagram for input Process Data	195
Figure 78 – Sequence chart of the use case "port x setup"	198
Figure 79 – State Machine of the W-Master W-Track handler	212
Figure 80 – State Machine of the W-Port-handler	214
Figure 81 – Submachine CheckCompatibility_3 of the W-Port-handler	216
Figure 82 – Activities for state „CheckVxy_21"	218
Figure 83 – Activities for state „CheckComp_22"	219
Figure 84 – Activities (write parameter) in state "RestartDevice_23"	220
Figure 85 – Submachine CheckSerNum_6 of the W-Port-handler	221