

SLOVENSKI STANDARD

SIST EN 60436:2020

01-maj-2020

Nadomešča:
SIST EN 50242:2016

Električni pomivalni stroji za gospodinjstva - Preskusne metode za merjenje lastnosti

Electric dishwashers for household use - Methods for measuring the performance

iTeh STANDARD PREVIEW

Lave-vaisselle électriques à usage domestique - Méthodes de mesure de l'aptitude à la fonction

[SIST EN 60436:2020](https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-62272ced1f0f/sist-en-60436-2020)

Ta slovenski standard je istoveten z: EN 60436:2020

ICS:

97.040.40

Pomivalni stroji

Dishwashers

SIST EN 60436:2020

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60436:2020

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60436

March 2020

ICS

Supersedes EN 50242:2016 and all of its amendments
and corrigenda (if any)

English Version

**Electric dishwashers for household use - Methods for measuring
the performance
(IEC 60436:2015 , modified)**

Lave-vaisselle électriques à usage domestique - Méthodes
de mesure de l'aptitude à la fonction
(IEC 60436:2015 , modifiée)

Elektrische Geschirrspüler für den Hausgebrauch -
Messverfahren für Gebrauchseigenschaften
(IEC 60436:2015 , modifiziert)

This European Standard was approved by CENELEC on 2019-09-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 60436:2020

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	5
1 Modification of Introduction	6
2 Modification of Clause 1 "Scope"	6
1 Scope	6
3 Modification of Clause 2 "Normative references"	6
4 Modification of Clause 3 "Terms and definitions"	7
3.2 Symbols	9
3.2.4 Symbols related to the measurements (Clause 8 and Annex U)	9
3.2.Z1 Symbols related to low power modes (Annex ZA)	9
5 Modification of Clause 5 "General conditions for measurements"	9
5.2 Sequence of test procedures and conditioning of the test machine	9
5.3 Electricity supply for machines	10
5.3.1 Electricity supply for test machine	10
5.3.1.1 Voltage	10
5.3.1.2 Frequency	10
5.3.2 Electricity supply for the reference machine	10
5.3.2.1 Voltage	10
5.4 Test programme	10
5.5 Ambient conditions	10
5.6 Water	10
5.6.2 Water temperature	10
5.6.3 Water hardness	11
5.7 Detergent	11
6 Modification of Clause 6 "Combined cleaning and drying performance test"	11
6 Combined cleaning and drying performance test	11
6.4 Preparation and application of soiling agents	11
6.4.2 Milk	11
6.4.2.1 General	11
6.4.3 Tea	11
6.4.3.1 General	11
6.4.3.3 Application	11
6.4.3.4 Pre-drying for oven drying method	11
6.4.3.5 Pre-drying for air drying method	12
6.4.4 Minced meat	12
6.4.4.1 General	12
6.4.6 Oat flakes	13
6.4.6.1 General	13
6.4.6.2 Preparation	13
6.4.6.3 Application	13
6.4.7 Spinach	13

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60436:2020

[https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-a3a-](https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-a3a-02292ccd1f0f/sist-en-60436-2020)

[02292ccd1f0f/sist-en-60436-2020](https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-a3a-02292ccd1f0f/sist-en-60436-2020)

6.4.7.1 General	13
6.5 Drying of the soiled tableware items	14
6.5.2 Oven drying method	14
6.5.3 Air drying method	14
6.6 Loading and operating	14
6.6.2 Operating	14
7 Modification of Clause 7 "Combined cleaning and drying performance assessment"	15
7 Combined cleaning and drying performance assessment	15
7.2 Determination of the drying performance	15
7.2.1 General requirements to enable subsequent cleaning assessment	15
7.2.2 Drying assessment procedure	15
7.2.3 Calculation of the drying index	16
7.3 Determination of the cleaning performance	16
7.3.1 General	16
7.3.4 Assessing $Ln W_c$	16
8 Modification of clause 8, "Energy consumption, water consumption, cycle time and programme time"	17
8.1 General and purpose	17
8.2 Method of measurement	17
8.2.1 General	17
8.2.2 Energy consumption	18
8.2.4 Water consumption	18
8.2.5 Time	18
9 Modification of clause 9 "Airborne acoustical noise"	19
10 Modification of Annex A	19
Annex A (normative) Place settings and serving pieces	19
A.2 Test load specification	19
11 Modification of Annex B	22
12 Modification of Annex D	30
13 Modification of Annex E	30
E.1 General	30
14 Modification of Annex F	30
F.1 Specification of the microwave oven	30
F.2 Calibration of the microwave oven	30
15 Modification of Annex G	31
G.1 Specification of the thermal cabinet	31
16 Modification of Annex I	31
I.4 Reference machine loading plan	32
17 Modification of Annex J	34
18 Modification of Annex K	34
K.3 Determination of left on mode duration	37
K.4 Determination of end of programme mode power	37

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60436:2020

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-a3a-02292ccd1f0f/sist-en-60436-2020>

EN 60436:2020 (E)

K.5 Determination of end of programme mode duration	37
K.6 Determination of off mode power	38
K.7 Determination of delay start mode power	38
19 Modification of Annex L	39
L.2 Alternative suppliers	42
L.2.1 General	42
L.2.2 Alternative food soils	42
20 Modification of Annex N	43
21 Modification of Annex P	43
22 Modification of Annex Q	43
23 Modification of Annex R	43
24 Modification of Annex S	43
25 Modification of Annex T	43
26 Modification of Annex U	44
U.3 Correlating energy consumption tests with different cold water inlet temperatures	44
U.3.2 Estimating regional energy consumption from standard cold water temperature	44
U.3.3 Estimating standard energy consumption from regional cold water temperature	44
27 Addition of Annexes	45
Annex ZA (normative) Measurement procedure for low power modes	45
ZA.1 General	45
ZA.2 Determination of off mode	48
ZA.3 Determination of standby mode	48
ZA.4 Determination of standby mode in condition of networked standby	48
ZA.5 Determination of delay start mode power	48
Annex ZB (normative) Normative references to international publications with their corresponding European publications	49
Annex ZZA (EU regulation on energy labelling)	50
Annex ZZB (EU regulation on ecodesign)	50

European foreword

This document (EN 60436:2020) consists of the text of IEC 60436:2015 prepared by IEC/TC 59, "Electric dishwashers", together with the common modifications prepared by CLC/TC 59X "Performance of household and similar electrical appliances".

The following dates are fixed:

- latest date by which this document has to be (dop) 2020-09-27 implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting (dow) 2023-03-27 with this document have to be withdrawn

This document supersedes EN 50242:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

EN 60436:2019 includes the following significant technical changes with respect to EN 50242:2016/EN 60436:2016:

- new test load with a bigger variety of materials and shapes, including pots, mugs, plastic items and more bowls;
- new phosphate-free reference detergent reflecting more market relevant composition of ingredients;
- more precise soiling procedure;
- new reference materials;
- new definitions and measurement procedures for low power modes.

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 60436:2015 are prefixed "Z".

In this document, the common modifications to the International Standards are indicated in red.

Endorsement notice

The text of the International Standard IEC 60436:2015 was approved by CENELEC as a European Standard with agreed common modifications.

EN 60436:2020 (E)

1 Modification of Introduction**Replace by:**

“This edition of the standard EN 60436 *Electric dishwashers for household use - Methods for measuring the performance* was developed for the future EU energy labelling and ecodesign scheme and therefore based on the principle described in the mandate M/481 to CEN, CENELEC and ETSI for standardisation in the field of household dishwashers relating to REGULATION (EU) 2017/1369 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2017 setting a framework for energy labelling and repealing Directive 2010/30/EU.

Mandate M/481, issued by the European Commission, includes the standardisation task to develop measures in testing household dishwashers, which ensure that the prospective harmonized standard takes into account improved test conditions and test materials to better reflect the user behaviour and the state of the art at European and international level. Test conditions described in IEC 60436:2015 indeed represent today's usage behaviours of European households in a better manner.

Common modifications were developed to further improve the standard for its application concerning EU energy labelling and ecodesign purposes, specifically in regard to the measurement procedure for low power modes, uncertainty of measurements, and test burden.”

2 Modification of Clause 1 "Scope"**1 Scope****Modify first sentence of first paragraph:**

“This **European** Standard applies to electric dishwashers for household and similar use that are supplied with hot and/or cold water.”

3 Modification of Clause 2 "Normative references"**Delete IEC 62301.****Add as follows:**

“

EN 50564, *Electrical and electronic household and office equipment – Measurement of low power consumption*

EN 50643, *Electrical and electronic household and office equipment – Measurement of networked standby power consumption of edge equipment*

”

4 Modification of Clause 3 "Terms and definitions"

Modify 3.1.14 as follows:

“programme

series of **operations** which are pre-defined within the **dishwasher** and which are declared as suitable for specified levels of soil and/or type of load ~~and together form a complete cycle~~

Note1 to entry: Usually an end of programme indicator signals the end of the programme and the user has access to the load.”

In 3.1.15, **Add a note:**

“Note Z1 to entry: The cycle can be equal or last longer than the programme.”

Modify 3.1.16 as follows:

“cycle time

length of time beginning with the initiation of the cycle (of the selected programme), excluding any user programmed delay, until all activity ceases ~~(i.e. the end of the cycle)~~

Modify 3.1.17 as follows:

“programme time

length of time beginning with the initiation of the ~~cycle (of the selected programme)~~ **programme**, excluding any user programmed delay, until an end of **programme** indicator is activated and the user has access to the load

Note 1 to entry: If there is no end of **programme** indicator, the **programme time** is equal to the **cycle time**.”

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>

Add note to entry to 3.1.21:

“Note Z1 to entry: This may include several separate steps during the programme(s).”

Modify 3.1.25 as follows:

“end of cycle programme mode

mode that begins immediately after the completion of the **programme**, and continues without any further intervention of the user

Note Z1 to entry: This mode can persist indefinitely or may be of limited duration if the **dishwasher** is equipped with a power management system.”

Modify 3.1.26 as follows:

“left on mode

mode that begins as soon as the **dishwasher** door has been opened and / or unlatched by the user after the completion of the **programme**, and continues without any further intervention of the user

Note Z1 to entry: In some products this mode can be equivalent to off mode.

Note Z2 to entry: This mode can persist indefinitely or can be of limited duration if the dishwasher is equipped with a power management system. ”

EN 60436:2020 (E)

Replace 3.1.27 as follows:

“off mode

condition in which the household dishwasher is connected to the mains and is not providing any function; the following shall also be considered as off mode:

- (a) conditions providing only an indication of off mode;
- (b) conditions providing only functionalities intended to ensure electromagnetic compatibility”

Replace 3.1.28 as follows:

“delay start mode

condition where the user has selected a specified delay to the beginning of the selected programme.

Note Z1 to entry: This mode is only applicable to dishwashers that provide a delay start function for the user.”

Modify 3.1.29 as follows:

“end of ~~cycle~~ programme mode duration

time for the **dishwasher** to revert automatically to **off mode** after the end of the ~~cycle~~ **programme** without any further intervention of the operator”

Delete Note 1 to entry in 3.1.29 and renumber the following note.

Modify 3.1.30 as follows:

“left on mode duration

time from the start of **left on mode** until the **dishwasher** reverts automatically to off mode

Note Z1 to entry: This time span is only applicable to dishwashers equipped with power management systems.”

Delete Note 1, 2 and 3 to entry:

Add the following new entries:

“3.1.Z1

all activity ceases

power consumption decreases to a low steady state fluctuating by no more than 10% or 0,1W, whichever is the greater, over a period of at least 60 min.

Note Z1 to entry: The current waveform shall be sampled at a frequency of 1000 Hz and averaged over the duration of 60 seconds.

3.1.Z2

standby mode

condition where the household dishwasher is connected to the mains and provides only the following functions, which may persist for an indefinite time:

- (a) reactivation function, or reactivation function and a mere indication of enabled reactivation function; and/or
- (b) information or status display; and/or
- (c) detection function for emergency measures.

3.1.Z3

network

communication infrastructure with a topology of links, an architecture, including the physical components, organizational principles, communication procedures and formats (protocols).

3.1.Z4**standby mode in condition of networked standby**

condition of networked standby means a condition where the household dishwasher is connected to the mains and provides only the reactivation function through a connection to a network, which may persist for an indefinite time.

Note Z1 to entry: This mode is only applicable to **dishwashers** that provide a connection function to a network."

3.2 Symbols**3.2.4 Symbols related to the measurements (Clause 8 and Annex U)**

Modify the symbol " $E_{IEC15\text{ }^{\circ}\text{C-m}}$ " by:

$E_{EN\text{ }15\text{ }^{\circ}\text{C-m}}$

Modify the symbol " $E_{IEC15\text{ }^{\circ}\text{C-e}}$ " by:

$E_{EN\text{ }15\text{ }^{\circ}\text{C-e}}$

Add following subclause:

“

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.2.Z1 Symbols related to low power modes (Annex ZA)

P_{sm} the measured power consumption in W in standby mode
 P_o the measured power consumption in W in off mode

P_{ns} the measured power consumption in W in standby mode in condition of networked standby

P_{ds} the measured power consumption in W in delay start mode”

5 Modification of Clause 5 "General conditions for measurements"

In clause 5.1.1, **modify** the second paragraph as follows:

“Manufacturers should provide sufficient information on relevant test conditions for the **test machine**, including installation instructions, **detergent** amounts, **rinse aid** settings, **water softener** settings and **any other information relevant to identifying regeneration operations** (if applicable), filter type, and loading schemes.”

5.2 Sequence of test procedures and conditioning of the test machine

In clause 5.2, **modify** the last sentence of the third paragraph as follows:

“The determination of energy consumption, water consumption, ~~cycle time and~~ **programme time** (Clause 8) shall be done concurrently with the combined cleaning and drying performance test (Clause 6 and 7).”

EN 60436:2020 (E)

5.3 Electricity supply for machines

5.3.1 Electricity supply for test machine

5.3.1.1 Voltage

Modify as follows:

“The supply voltage of the **test machine** shall be maintained at 230 V \pm 1 %. The supply voltage measured during the tests shall be recorded.”

5.3.1.2 Frequency

Modify as follows:

“The supply frequency shall be set at 50 Hz and maintained within \pm 1 % throughout the test. The measured frequency shall be reported.”

5.3.2 Electricity supply for the reference machine

5.3.2.1 Voltage

Modify as follows:

“The supply voltage shall be set at 230 V a.c. and maintained within \pm 1 % throughout the test. The measured voltage shall be reported.”

[SIST EN 60436:2020](https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020)

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>

5.4 Test programme

Replace the first paragraph as follows:

“For energy labelling and ecodesign purposes, the **programme** to be tested for performance measurements shall be the “ECO” **programme** which is intended to clean normally soiled tableware (standard cleaning and drying cycle).

NOTE Z1 For noise testing see Clause 9. ”

5.5 Ambient conditions

Modify as follows:

“The following ambient conditions shall be maintained throughout the soiling, drying and measurement process. The conditions shall be reported.

- Ambient temperature of the room: (23 \pm 2) °C
- Relative humidity: (55 \pm 5) % ”

5.6 Water

5.6.2 Water temperature

Add the following paragraph after the note:

“For energy labelling and ecodesign purposes, the use of hot water is not permitted.”

5.6.3 Water hardness

Replace in the 2nd sentence of the first paragraph ‘IEC 60734’ by ‘**EN 60734**’

Add the following paragraph after the first paragraph:

“For energy labelling and ecodesign purposes, if the appliance is not equipped with a water softener, the hardest water which is permitted by the manufacturer's instructions shall be used, otherwise only water of $(2,5 \pm 0,5)$ mmol/l shall be used.”

5.7 Detergent

Modify the first sentence of the first paragraph as follows:

“The reference **detergent** D, as described in Annex E, shall be used in the **reference** and **test machines**.”

6 Modification of Clause 6 "Combined cleaning and drying performance test"

6 Combined cleaning and drying performance test

6.4 Preparation and application of soiling agents

6.4.2 Milk

6.4.2.1 General

Add the following paragraph after the last paragraph:

“For energy labelling and ecodesign purposes, UHT milk shall be used.”

6.4.3 Tea

6.4.3.1 General

Add the following paragraph after the last paragraph:

“For energy labelling and ecodesign purposes, tea as described in Annex L shall be used.”

6.4.3.3 Application

Delete Note 1.

Modify numbering of ‘Note 2’ to ‘**Note 1**’.


6.4.3.4 Pre-drying for oven drying method

Replace Figure 2 by following:

ITeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60436:2020

<https://standards.iteh.ai/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>



6.4.3.5 Pre-drying for air drying method

Add the following paragraph after the last paragraph:

“For energy labelling and ecodesign purposes, this subclause is not applicable.”

6.4.4 Minced meat

[SIST EN 60436:2020](https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020)

6.4.4.1 General

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>

Add the following sentence after the third sentence of second paragraph:

“One pass through the grinder is specified.”

6.4.4.2 Preparation and storage

Modify as follows:

“Mix 50 g of whisked whole egg (see 6.4.5) to every 150 g minced meat (see 6.4.4). Mix well and divide into 20 g or multiple of 20 g portions. Store the portions in watertight containers and freeze. Before use, allow to defrost to ambient temperature and mix with water (see 5.6 for specification) at a ratio of 20 g to 6 g of water, until the minced meat mixture is homogeneous.”

6.4.4.3 Application

Modify the text of 6.4.4.3 as follows:

Items to be soiled:

Soil the oval platter, the glass bowl and the oven pot with minced meat mixture.

Quantity of soil:

8 g of minced meat mixture for the oval platter, 8 g for the glass bowl and 6 g for the oven pot.

Method of soiling:

Refer to 6.4.1 and use a plastic fork as an application tool.

- Oval platter:

Apply the minced meat **mixture** evenly to the upper surface of the platter and ensure that a space of 20 mm around the edge is left clean.

- Glass bowl:

Apply the minced meat **mixture** to the bottom and inner sides and ensure that a space of 40 mm around the edge is left clean.

- Oven pot:

Apply the minced meat **mixture** on the bottom and the inner sides of the oven pot and ensure that a space of 10 mm around the edge is left clean.

6.4.6 Oat flakes

6.4.6.1 General

Add the following paragraph after the last paragraph:

“For energy labelling and ecodesign purposes, oat flakes as described in Annex L shall be used.”

6.4.6.2 Preparation

Modify the second sentence as follows:

“Prepare porridge by bringing the mixture to the boiling point and allow to simmer for 10 min, stirring continuously from the very beginning of heating, using **for example** a wooden spoon.”

6.4.6.3 Application

Add the following paragraph after the last paragraph:

“For energy labelling and ecodesign purposes, the use of alternate load items is not permitted.”

6.4.7 Spinach

<https://standards.iteh.ai/catalog/standards/sist/3b2153eb-9f15-4b72-af3a-02292ccd1f0f/sist-en-60436-2020>

6.4.7.1 General

Add the following paragraph after the note:

“For energy labelling and ecodesign purposes, spinach as described in Annex L shall be used.”

6.4.7.2 Preparation and storage

Add the following paragraphs before the last paragraph and before Note 2 of this subclause:

“After mincing, the spinach may be freeze-dried using lyophilisation and stored until use. By using lyophilisation the water content of the spinach is extracted and only 6 to 8 % of the original weight will remain as dry matter spinach. This dry matter spinach may be stored for up to 12 months provided it is air-tight and kept in the dark. Once the container has been opened, the remaining dry matter spinach may be used for four weeks provided it is stored in a re-sealed container in the dark.

For reconstitution of the quantities of minced spinach needed, an appropriate amount of this dry matter spinach is taken and distilled water is added. Follow the supplier’s (e.g. Annex L.1.11) instruction when reconstituting the spinach for a test. After reconstituting the spinach shall be handled and stored like the de-frosted and ground spinach.

Freeze dried spinach from listed suppliers (refer to Annex L) has been proven to result in equivalent test results compared to using frozen spinach. Alternative sources shall prove equivalency through testing. Refer to L.2 for guidance on equivalency.”