

---

**Specifikacija za plastične folije za električne namene - 2. del: Metode preskušanja - Popravek AC**

Specification for plastic films for electrical purposes - Part 2: Methods of test

Bestimmung für Isolierfolien für elektrotechnische Zwecke - Teil 2: Prüfverfahren

Spécification pour les films en matière plastique à usages électriques - Partie 2:  
Méthodes d'essai

**STANDARD PREVIEW**  
**(standards.iteh.ai)**

**Ta slovenski standard je istoveten z: EN 60674-2:2017/AC:2018-01**

SIST EN 60674-2:2017/AC:2018  
<https://standards.iteh.ai/catalog/standards/sist/9a9155ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018>

**ICS:**

|           |                                           |                                          |
|-----------|-------------------------------------------|------------------------------------------|
| 29.035.20 | Plastični in gumeni izolacijski materiali | Plastics and rubber insulating materials |
| 83.140.10 | Filmi in folije                           | Films and sheets                         |

**SIST EN 60674-2:2017/AC:2018****en,fr,de**

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 60674-2:2017/AC:2018](https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018)

<https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 60674-2:2017/AC:2018-01**

January 2018

ICS 29.035.20; 17.220.99

English Version

Specification for plastic films for electrical purposes - Part 2:  
Methods of test  
(IEC 60674-2:2016/COR1:2017)

Spécification pour les films en matière plastique à usages  
électriques - Partie 2: Méthodes d'essai  
(IEC 60674-2:2016/COR1:2017)

Bestimmung für Isolierfolien für elektrotechnische Zwecke -  
Teil 2: Prüfverfahren  
(IEC 60674-2:2016/COR1:2017)

This corrigendum becomes effective on 19 January 2018 for incorporation in the English language version of the EN.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60674-2:2017/AC:2018](https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018)  
<https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018>



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**Endorsement notice**

The text of the corrigendum IEC 60674-2:2016/COR1:2017 was approved by CENELEC as EN 60674-2:2017/AC:2018-01 without any modification.

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 60674-2:2017/AC:2018](https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018)

<https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-0110f0625be6/sist-en-60674-2-2017-ac-2018>

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## IEC 60674-2 Edition 2.0 2016-11

### SPECIFICATION FOR PLASTIC FILMS FOR ELECTRICAL PURPOSES –

#### Part 2: Methods of test

## CORRIGENDUM 1

### CONTENTS

*Insert the following title of subclause:*

4.2.3 Measurement by a multi-layer of sheets

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

**4.2.2.4 Measurement by a multi-layer of sheets**

*Replace the existing title with the following:*

4.2.3 Measurement by a multi-layer of sheets  
<https://standards.iteh.ai/catalog/standards/sist/9a9f55ed-7d6d-4800-87e9-011010625b60/sist-en-60674-2-2017-ac-2018>

### 32.3.1 Water absorption of material as-received

*Replace the first sentence of the second paragraph by the following:*

These pieces are placed in an atmosphere of 93 % ± 2 % RH for a period of time to be specified in IEC 60674-3 (all parts) and selected from Table 2 of IEC 60212:2010.

### 32.3.2 Water absorption of dry material

*Replace the first sentence of the second paragraph by the following:*

These pieces are placed in an atmosphere of 93 % ± 2 % RH for a period of time to be specified in IEC 60674-3 (all parts) and selected from Table 2 of IEC 60212:2010.